

+ (504) 9802-5990
servicioalcliente@ferrecarmen.com
<https://ferrecarmen.com/>

Taladro eléctrico



EL CARMEN	[W]	[V]
HE0308046 YT-82031UL	550	110 5

Pulidora



$L_{pa} = 91,9 \pm 3,0$ dB; $L_{wa} = 102,9 \pm 3,0$ dB; $a_n = 7,448 \pm 1,5 / 5,2 \pm 1,5$ m/s²

EL CARMEN	YATO	[W]	[V]
HE0304044 YT-82105UL	2400	110	2

Ingleteadora



$L_{pa} = 95,8 \pm 3,0$ dB; $L_{wa} = 108,8 \pm 3,0$ dB

EL CARMEN	[W]
HE0304046 YT-82181UL	2450 1

Taladro eléctrico



EL CARMEN	[W]	[V]
HE0308040 YT-82033UL	710	110 5

Taladro eléctrico



EL CARMEN	YATO	[W]	[V]
HE0308042 YT-82121UL	800	110	5

Cepillo inalámbrico



Battery not included
Cilindro Akku / Bez akumulatore
Bez Samopajev / Bez aku
Akumulator neleži
Fără baterie / Sans baterie
Senza batteria / Sin baterie
沒有電池



$L_{pa} = 84,0 \pm 3,0$ dB;
 $L_{wa} = 95,0 \pm 3,0$ dB;
 $a_n = 5,22 \pm 1,5$ m/s²

EL CARMEN	[V d.c.]
HE0307021 YT-82192	18 6


Taladro eléctrico



$L_{pa} = 87,0 \pm 3,0$ dB; $L_{wa} = 98,0 \pm 3,0$ dB; $a_n = 2,29 \pm 1,5 / 8,5 \pm 1,5$ m/s²

EL CARMEN	[W]
HE0308041 YT-82036UL	810 5

Taladro eléctrico



$L_{pa} = 90,0 \pm 3,0$ dB; $L_{wa} = 100,0 \pm 3,0$ dB; $a_n = 14,00 \pm 1,0 / 12,11 \pm 1,0$ m/s²

EL CARMEN	YATO	[W]	[V]
HE0308043 YT-82123UL	1100	110	3

Pulidora p/carro



EL CARMEN	[W]
HE0304045 YT-82197UL	1400 4

Pistola de calor

230-240V~
50Hz

2000
W

550
°C

500
l/min



EL CARMEN	[W]		
HE0303015	YT-82291UL	2000	5

Lijadora orbital

18V
Li-Ion

0-12000
rpm

2.0mm

125
mm



Battery not included
Onna Akku / Bez akumulatora
Bez baterije / Bez aku
Akkumulatori nelikui
Fără baterie / Sănu baterie
Senza baterie / Sin baterie
没有电池

Fitting sand papers: see chapter 10
 $L_{pa} = 73.7 \pm 3.0$ dB; $L_{wa} = 84.7 \pm 3.0$ dB;
 $a_h = 7.0 \pm 1.5$ m/s²

EL CARMEN	[V d.c.]		
HE0302009	YT-82753	18	4

Cargador de batería YATO

230V~
50Hz

110V~
50Hz

12V 38A
100% recarga
540A

24V 35A
100% recarga
450A

20-800
Ah

WET
MOKRY



EL CARMEN			
HE0704021	YT-83062UL		1

Taladro inalámbrico 1/2" 18V 110V

18V
Li-Ion

CE

1/2"
12.5mm

700
Nm


3.0
Ah

1.5h

LED
BATTERY
INDICATOR

0-2600 min⁻¹

0-5000 min⁻¹



18V
Li-Ion



1/4" (6.3 mm) HEX
x 1/2" (12.7 mm) (F)



EL CARMEN	YATO	[V d.c.]	
HE0308045	YT-82806		3

Taladro inalámbrico

18V
Li-Ion

40
Nm

0-440 rpm

0-1650 rpm

13mm



8V
Li-Ion

$L_{pa} = 71.0 \pm 3.0$ dB; $L_{wa} = 82.0 \pm 3.0$ dB; $a_h = 3.0 \pm 1.5$ m/s²

EL CARMEN	YATO	[V d.c.]	Battery capacity	ci	ty [mAh]	quantity	[h]	Battery
HE0308044	YT-82780	18	20	0	1	1	5	

Batería 18V LION 2.0AH YT-828461 YATO

18V
Li-Ion

2.0
Ah

3.0
Ah

4.0
Ah

6.0
Ah

9.0
Ah

LED CHARGE
INDICATOR
REALIZING
MULTI-VOLTAJE
BATERIA



18V
Li-Ion

Given charging time is based on 2.2A charger YT-828498

EL CARMEN	YATO	[V d.c.]	charging time	
-----------	------	----------	---------------	--

Cargador de batería

18 V
2.2 A



EL CARMEN	YATO	[V d.c.]	[min]
HE0704020	YT-828498UL	18	60 (YT-828461), 90 (YT-828462), 120 (YT-828463), 180 (YT-828464), 270 (YT-828465)

Vibrador de concreto

196 CC
3600 rpm
3.6 L
0.6 L



Fuel type: gasoline
Power: 6.5HP
Fuel tank: 3.6L
Engine oil tank: 0.6L
Impact Frequency: 3600 vpm/min-1
Rated speed: 3600 rpm/min-1
Displacement: 196CC

EL CARMEN	YATO	
FE0606009	YT-84827	1

Motobomba

4.0 kW
3600 rpm
208 cm³
50 mm
500 l/min
30 m³/h
25 m
8 m
3.6 L



Product video



$L_{pA} = 82,1 \pm 3,0$ dB; $L_{wA} = 95,4 \pm 3,0$ dB

EL CARMEN	YATO	
FO0402015	YT-85401	1

Manguera p/vibrador



For YT-84827

EL CARMEN	YATO	Size	
FE0606010	YT-84828	Φ38MM, 6M	1

Motobomba

4.0 kW
3600 rpm
208 cm³
80 mm
800 l/min
50 m³/h
20 m
8 m
3.6 L



$L_{pA} = 81,9 \pm 3,0$ dB; $L_{wA} = 95,0 \pm 3,0$ dB

EL CARMEN	YATO	
FO0402016	YT-85402	1

Hidro lavadora

220-240V-50Hz
110V-120V-50/60Hz
2000 W
15 MPa (max.)
10 MPa
6 l/min
IPX5

105 bar



Product video



$L_{pA} = 85,8 \pm 3,0$ dB; $L_{wA} = 95,39 \pm 3,0$ dB; $a_h = 2,64$ m/s²

EL CARMEN	YATO	
FE0607028	YT-85915UL	2000 1

Yoyo chapeadora

2,2-3,0 mm
200-430 mm
30 cm³
Al



For YT-84995, YT-85003, YT-85010

EL CARMEN	YATO	
JA0103054	YT-85111	10/40

Cuchilla p/chapeadora

255x25,4
x1,6
mm

30
cm²



For YT-84995, YT-85003, YT-85004, YT-85005, YT-85010

EL CARMEN			
JA0103055	YT-85155		25/50

Lima plana

250
mm

15x2
mm

BEARING
STEEL
STAL
ŁOŻYSKOWA

PP



EL CARMEN		L [mm]	
HE0505064	YT-85022	250	200

BOMBA FUMIGAR GASOLINA

2.13
kW

2.9
KM

41.5
cm³

20
L

17
m³/min

12
m



$L_{pa} = 99,0 \pm 3,0$ dB; $L_{wa} = 111,0 \pm 3,0$ dB; $a_v = 0,8 \pm 1,5 / 0,9 \pm 1,5$ m/s₂

EL CARMEN		[kW]	[KM]	
HE0204009	YT-86240	2.13	2.9	1

Mandril

15-13mm

1/2"
(12.7mm)

20 UNF



VOREL					
HE0704017	79630	1.5-13	G1/2	5/40	

Cepillo de alambre



EL CARMEN		VOREL			
FE0402008	06965				25/100

Cepillo de copa p/pulidora



VOREL			max		
HE0104190	06971	100	8500	6/24	

Cepillo de copa trenzado



VOREL			max		
HE0104191	06976	100	8500	6/24	

Disco diamante para pulir metal 5"



EL CARMEN	VOREL	ØA [mm]	Ød [mm]	max ω [min ⁻¹]	D [mm]	
HE0104193	08683	125	22	11000	6.8	25/100

Disco diamante



EL CARMEN	STHOR	ØA [mm]	Ød [mm]	max ω [min ⁻¹]	D [mm]	H [mm]	
HE0104194	08780	115	22.2	13200	1.9	7	20/120
HE0104195	08782	180	22.2	8400	2.3	7	15/45
HE0104196	08783	230	22.2	6600	2.4	7	10/30

Disco diamante



EL CARMEN	STHOR	ØA [mm]	Ød [mm]	max ω [min ⁻¹]	D [mm]	H [mm]	
HE0104197	08785	115	22.2	13200	1.9	5	20/120
HE0104198	08788	230	22.2	6600	2.4	5	10/30

Disco diamante





EL CARMEN	STHOR	ØA [mm]	Ød [mm]	max ω [min ⁻¹]	D [mm]	H [mm]	
HE0104199	08790	115	22.2	13200	2.0	7.0	20/120
HE0104200	08792	180	22.2	8400	2.4	7.5	15/45
HE0104201	08793	230	22.2	6600	2.6	7.5	10/30

Broca p/ceram/vidrio



EL CARMEN	VOREL	Ø [mm]	Toolholder size	pcs	
HE0103068	22551	15, 20, 25, 30, 35	8	5	5/20

Broca escalonada



EL CARMEN	STHOR	Ø [mm]	
HE0102120	22612	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32	10/80

Broca escalonada



EL CARMEN	YATO	Ø [mm]	
HE0102133	YT-44731	3-12 (3, 4, 5, 6, 7, 8, 9, 10, 11, 12 mm), 4-12 (4, 6, 8, 10, 12 mm), 4-20 (4, 6, 8, 10, 12, 14, 16, 18, 20 mm)	40

Broca escalonada



EL CARMEN	YATO	Steps quantity	Ø [mm]	L [mm]	Working length [mm]	
HE0102134	YT-44739	10	6, 10, 13, 16, 19, 22, 25, 29, 32, 35	75	45	10/80

Broca p/ceram/vidrio




EL CARMEN		Ø [mm]			
HE0102115	05540	4	80	50/100	
HE0102116	05560	6	90	50/100	
HE0102117	05580	8	95	50/100	
HE0102118	05600	10	100	50/100	

Broca p/ceram/vidrio



EL CARMEN					
HE0102122	Y1-3/2b	4	100/400		
HE0102123	YT-3726	6	100/400		
HE0102124	YT-3727	8	100/400		
HE0102125	YT-3728	10	50/200		

Broca p/ceram/vidrio




EL CARMEN	STORZ	Ø [mm]	pcs	
HE0102119	21709	4, 5, 6, 8, 10	5	25/100

Broca sds plus pala




EL CARMEN	STORZ	Ø [mm]	Working width	L [mm]	
HE0101061	23592	14	40	250	25/50

Broca plana para madera



EL CARMEN				
HE0103078	Y1-3236	6	152	50/400
HE0103079	YT-3237	8	152	50/400
HE0103080	YT-3238	10	152	50/300
HE0103069	YT-3240	13	152	50/300
HE0103070	YT-3242	16	152	50/300
HE0103071	YT-3245	22	152	50/300
HE0103072	YT-3247	25	152	50/300
HE0103073	YT-3249	28	152	50/300
HE0103074	YT-3251	32	152	50/200
HE0103075	YT-3253	35	152	50/200
HE0103076	YT-3254	38	152	50/200

Extension p/broca



EL CARMEN	YATO	Ø [mm]	H [mm]	
HE0102136	YT-3257	13.5	300	30/60

Mandril p/broca sacabocado



EL CARMEN	YATO	Toolholder type	
HE0102137	YT-3371	HEX	25/100

Broca escalonada




EL CARMEN	STHOR	Ø [mm]		
HE0101057	23313	6	100	200/1000
HE0101058	23315	8	120	100/500
HE0101059	23326	10	400	50/100

Broca escalonada



EL CARMEN	STHOR	Ø [mm]	L [mm]	
HE0101060	23416	25	900	2/10

Broca p/hierro HSS- de Cobalto




EL CARMEN		Ø [mm]	H1 [mm]		
HE0102126	YT-4040	5.0	86	52	100/400
HE0102127	YT-4050	6.0	93	57	100/400
HE0102128	YT-4060	7.0	109	69	75/300
HE0102129	YT-4080	8.0	117	75	75/300
HE0102130	YT-4090	9.0	125	81	75/300

Broca t/copa p/concreto



EL CARMEN	VOREL			
HE0101056	03240		65	24
HE0103067	03241		80	20

Broca sacabocado



EL CARMEN					
HE0102131	YT-4400	65	6		24
HE0102132	YT-4401	80	8		20

Avellanador cónico



HE0508199	YT-44729	6.3, 8.3, 10.4, 12.4, 16.5, 20.5		20
-----------	----------	----------------------------------	--	----

Plana para demoledor



HE0505061	YT-47341	280		10/40
-----------	----------	-----	--	-------


Disco pulir concreto



* Application: concrete, screed

YATO		max Ø	For			
HE0104202	YT-60322	125	22.2	12200	5x9 YT-82110, YT-82101	30
HE0104203	YT-60323	180	22.2	6600	5x9 YT-82341, YT-82110	10


Disco p/corte de metal



* Depressed center

EL CARMEN		ØA [mm]	Ød [mm]	max C [min ⁻¹]	D [mm]	
HE0104204	YT-6114	115	22	13200	2.5	25/200
HE0104205	YT-6119	180	22	8600	3.2	25/100

Piedra afilar rectangular



EL CARMEN	No.	L [mm]	
FE0204009	26200	200	25/50

Disco p/pulir metal



* Depressed center


EL CARMEN		ØA [mm]	Ød [mm]	max C [min ⁻¹]	D [mm]	
HE0104206	YT-6121	115	22	13200	6.0	25/100
HE0104212	YT-6138	180	22	8600	6.0	15/30

Ratch p/cubo



EL CARMEN	No.	Ø	
HE0508166	53520	3/8" (9.5 mm)	25/50
HE0508167	53540	1/2" (12.7 mm)	20/40

Disco lija p/ lijadora



EL CARMEN	YATO	Grit	Ø [mm]	
HE0104208	YT-83452	P60	125	50/200
HE0104209	YT-83453	P80	125	50/200
HE0104210	YT-83454	P100	125	50/200
HE0104211	YT-83455	P120	125	50/200

Piedras para mini drill




EL CARMEN	No.	Chuck diameter	pcs	
HE0106042	25400	6	5	25/200

Llave mixta c/ratch



EL CARMEN	VOREL	Size [mm]	pcs	
HE0509134	52661	10, 13, 17, 19	4	10/20

Llave ratch



- Professional quick-release dual-purpose ratchet wrench
- CrV Forging, durable and wear-resistance
- Mirror polished surface, beautiful and anti-rust, comfortable to hold
- 72-Teeth ratchet design, 5 degrees each turn, more labor saving
- Suit for 6 different shape screws



EL CARMEN	YATO	Ø [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
HE0509137	YT-0191	10	160	22.1	22.2	6.0	7.8	10/50/100
HE0509138	YT-0194	13	180	27.5	26.7	6.6	9.2	10/50/100



Llave mixta



8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm

EL CARMEN	YATO			
HE0509148	YT-0362			6

Llave mixta



- Application: workshop
- Head offset: 15°
- Surface finish: chromed, satin

Llave mixta



6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,30,32 mm

EL CARMEN	YATO			
HE0509149	YT-0365			6

Llave ratch



8,10,12,13,14,15,17,19 mm

EL CARMEN	YATO			
HE0509139	YT-02068			6

Llave mixta



8,9,10,11,12,13,14,15,16,17,18,19,22,24 mm

EL CARMEN	YATO			
HE0509152	YT-03618			6

Juego de llaves



5.5x7,8x10, 9x11, 10x12,12x14, 14x17, 17x19, 19x21,24x27,30x32 mm

EL CARMEN	YATO			
HE0509151	YT-48186			6

Juego de llaves combinadas con ratch



7 PCS
CrV
72T
AS-DRIVE




10,12,13,14,15,17,19 mm

EL CARMEN	YATO		
HE0105059	YT-16966		6

Maneral

1/2"
12.7mm
DIN
3121
CrV
50BV30



EL CARMEN	YATO	○	D [mm]	L [mm]	
HE0501141	YT-1241	1/2" (12.7 mm)	19	360	5/15/30

Llave ajustable


DIN
3117
DROP
FORGED
KUTE



EL CARMEN		L [mm]	Max. jaws range [mm]	
HE0506170	YT-21650	150	19.3	6/60
HE0506171	YT-21652	250	30.0	6/36

Extension

1/2"
12.7mm
DIN
3121
CrV
50BV30



EL CARMEN		○	D [mm]	D2 [mm]	L [mm]	
HE0501142	YT-1246	1/2" (12.7 mm)	24	14.5	76	15/30/120
HE0501153	YT-1247	1/2" (12.7 mm)	24	14.5	127	5/20/80

Cubo

1/2"
12.7mm
DIN
3121
CrV
50BV30
AS-DRIVE




- Drive locks
- Surface finish: chromed, satin / mirror

EL CARMEN		○	D1 [mm]	D2 [mm]	L [mm]	
HE0501121	YT-1203	10	15	22	38	12/120/240
HE0501122	YT-1205	12	18	22	38	12/120/240
HE0501123	YT-1206	13	19	22	38	12/120/240
HE0501124	YT-1207	14	20	22	38	12/120/240
HE0501125	YT-1209	16	23	22	38	12/120/240
HE0501126	YT-1210	17	24	23	38	12/120/240
HE0501127	YT-1211	18	25	23	38	12/120/240
HE0501128	YT-1212	19	27	24	38	12/120/240
HE0501129	YT-1215	22	30	26	38	12/120/240
HE0501130	YT-1217	24	32	28	38	12/60/120

Cubo largo

1/2"
12.7mm
DIN
3121
CrV
50BV30
AS-DRIVE



EL CARMEN		Ø		D1 [mm]	D2 [mm]	
HE0501143	YT-1253	1/2" (12.7 mm)	16	22	19	64
HE0501144	YT-1254	1/2" (12.7 mm)	21	27.8	24	64

Juego de cubos con ratch

19
PCS
1/2"
12.7mm
CrV
50BV30
CrMo
440
72T
AS-DRIVE





1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30; CrMo 440; 72T; AS-DRIVE

EL CARMEN	YATO	Ø	
HE0501150	YT-38681	1/2" (12.7 mm)	3/6

Cubo largo

1/4"
6.3mm
DIN
3121
CrV
50BV30
AS-DRIVE



20
PCS
3/8"
9.5mm
1/4"
6.3mm



• Drive locks
• Surface finish: chromed, satin / mirror

EL CARMEN		Ø A [mm]	D1 [mm]	D2 [mm]	
HE0501145	YT-1418	7.0	10.0	12.0	50
HE0501146	YT-1419	8.0	12.0	12.0	50
HE0501147	YT-1421	10.0	14.0	13.0	50

EL CARMEN	VOREL	Ø	pcs
HE0501118	58210	1/4" (6.3 mm), 3/8" (9.5 mm)	20

Adaptador

48
mm
CrV
6150



EL CARMEN	YATO	Ø [mm]	
HE0105058	YT-1501	6	200/600

EL CARMEN	No.	Ø	L [mm]
HE0508168	53610	1/2" (12.7 mm)	125

Juego de cubos

22 PCS 3/8" 9.5 mm 45T AS-DRIVE



3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm;
3/8" (9.5 mm);
3/8" (9.5 mm);
3/8" (9.5 mm);
3/8" (9.5 mm); 45T

STAMOR				
HE0501119	58661	3/8" (9.5 mm)	22	10

Juego de cubos

216 PCS 1/2" 12.7 mm 3/8" 9.5 mm 1/4" 6.3 mm CrV 50BV30
CrV 6140 45T AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22, 24, 27, 30, 32 mm; 3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm; 1/2" (12.7 mm): 16, 17, 18, 19, 22 mm; 3/8" (9.5 mm): 10, 11, 12, 13, 14, 15 mm; 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10 mm; 1/2" (12.7 mm): E20, E22, E24; 3/8" (9.5 mm): E10, E11, E12, E14, E16, E18; 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 50BV30; 1/2" (12.7 mm); 2 PCS; 3/8" (9.5 mm); 1/4" (6.3 mm); 2 PCS; 1/2" (12.7 mm); 3/8" (9.5 mm); 1/4" (6.3 mm); 1/2" (12.7 mm): 16, 21 mm; 3/8" (9.5 mm): 18 mm; 1/2" (12.7 mm); 1/4" (6.3 mm); 1/2" (12.7 mm); 3/8" (9.5 mm); 1/4" (6.3 mm); 45T; 1/4" (6.3 mm); 1/4" (6.3 mm); 1/2" (12.7 mm) x 5/16" (7.9 mm); 3/8" (9.5 mm) x 5/16" (7.9 mm); 1/4" (6.3 mm) x 1/4" (6.3 mm); 5/16" (7.9 mm): 6, 6.5, 8 mm; 1/4" (6.3 mm): 4, 5.5, 6.5 mm; CrV 6140; 5/16" (7.9 mm): PH3, PH4; 1/4" (6.3 mm): PH1, PH2; CrV 6140; 5/16" (7.9 mm): PZ3, PZ4; 1/4" (6.3 mm): PZ1, PZ2; CrV 6140; 5/16" (7.9 mm): T25, T27, T30, T35, 2xT40, T45, T50; 1/4" (6.3 mm): T8, T10, T15, T20, T25; CrV 6140; 5/16" (7.9 mm): T27, T30, T35, T40, T45, T50; 1/4" (6.3 mm): T8, 2xT10, 2xT15, 2xT20, 2xT25, T40; CrV 6140; 5/16" (7.9 mm): 5.5, 6, 6.5, 7, 8 mm; 1/4" (6.3 mm): 3, 4, 5, 6 mm; CrV 6140; 1/4" (6.3 mm): 3, 4, 5, 6 mm; CrV 6140; 5/16" (7.9 mm): M5, M6, M8, M10; 1/4" (6.3 mm): M5, M6, M8; CrV 6140; 1/4" (6.3 mm): S1, S2; CrV 6140; 1/4" (6.3 mm): 1, 2, 3 mm; CrV 6140; 1/4" (6.3 mm): 6, 8, 10 mm; CrV 6140; 1/4" (6.3 mm): 4, 6, 8 mm; CrV 6140; 1/4" (6.3 mm): 6, 6.5, 8 mm; CrV 6140; 1/4" (6.3 mm): PH3, PH4; CrV 6140; 1/4" (6.3 mm): PZ3, PZ4; CrV 6140; 1/2" (12.7 mm): T55, T60; 1/4" (6.3 mm): T25, T27, T30, T35, T40 (2 PCS), T45, T50; CrV 6140; 1/4" (6.3 mm): T27, T30, T35, T40, T45, T50; CrV 6140; 1/4" (6.3 mm): 5.5, 6, 6.5, 7, 8 mm; CrV 6140; 1/4" (6.3 mm): M5, M6, M8, M10; CrV 6140; 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm; 1.27, 1.5, 2, 2.5, 3, 4, 5 mm

HE0501120	58700	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	216	1
-----------	-------	--	-----	---

Caja herramientas

68 PCS 1/4" 1000 V CrV CrV S2
6.3mm 50BV30 6150



- 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 140 mm; 190 mm; 3CRB;
- 150 mm;
- 160 mm; 1000 V; CrV;
- 160 mm; 1000 V; CrV;
- 3 m x 16 mm;
- 175 mm;
- 19.5 x 190 mm;
- 1.5 V; 9 LED;
- 9 mm;
- 19 mm x 20 mm;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
- 10 g;
- 10.4, 2.0, 2.4 mm; PH00, PH0, PH1; S2;
- 4x100, 5.5x125, PH1x80, PH2x100 mm; 1000V; S2;
- 1/4" (6.3 mm): 3, 4, 5, 5.5, 6 mm (L=25 mm); AISI S2;
- 1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;
- 1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 (L=25 mm); AISI S2;
- 10.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm; CrV 6150



EL CARMEN	YATO	Ø	📦
HE0601024	YT-39009	1/4" (6.3 mm)	2

Juego de cubos

38 PCS 1/4" CrV CrV CrV S2 72T AS-DRIVE
6.3mm 50BV30 6140 6150 40



- 1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
- 1/4" (6.3 mm); CrV 50BV30;
- 1/4" (6.3 mm); (152.4 mm); CrV 40;
- 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): P21, P22 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 8 mm (L=37 mm); AISI S2 / CrV 6150

EL CARMEN	YATO	Ø	📦
HE0501148	YT-14471	1/4" (6.3 mm)	10

Juego de cubos con ratch

22 PCS 3/8" CrV CrV CrMo 440 72T AS-DRIVE
9.5mm 50BV30 40



- 3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19, 20, 21, 22 mm (L=30 mm); CrV 50BV30;
- 3/8" (9.5 mm); (76, 152.4 mm); CrV 50BV30;
- 3/8" (9.5 mm); CrV 50BV30;
- 3/8" (9.5 mm); (198 mm); CrV 40;
- 3/8" (9.5 mm); (200 mm); 72T; CrMo 440

EL CARMEN	YATO	Ø	📦
HE0501149	YT-38561	3/8" (9.5 mm)	10

Juego de cubos con ratch

27 PCS 1/2" CrV CrV CrMo 6140 72T AS-DRIVE
12.7mm 50BV30 6140



- 1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
- 1/2" (12.7 mm); (127, 254 mm); CrV 50BV30;
- 1/2" (12.7 mm); CrV 50BV30;
- 1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
- 1/2" (12.7 mm); (255 mm); CrV 50BV30;
- 1/2" (12.7 mm); (255 mm); 72T; CrV 6140

EL CARMEN	YATO	Ø	📦
HE0501151	YT-3875	1/2" (12.7 mm)	6

Caja de herramientas

80 PCS	460x220 x245 mm	1/2" 12.7mm	1/4" 6.3mm	CrV 50BV30	CrV 6140
S2	72T	AS-DRIVE	⊖	⊕	



- ⌀ 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19 mm (L=38 mm);
- 1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- ⌀ 1/2" (12.7 mm): 21 mm; CrV 50BV30;
- ⌀ 1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
- ⌀ 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- ⌀ 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
- ⌀ 1/4" (6.3 mm): 3 x2, 4 x2, 5 x2, 5.5 x2, 6 x2 mm (L=25 mm); AISI S2;
- ⊕ 1/4" (6.3 mm): PH0, PH1 x2, PH2 x2, PH3 (L=25 mm); AISI S2;
- ⊕ 1/4" (6.3 mm): PZ0, PZ1 x2, PZ2 (L=25 mm); AISI S2;
- ⌀ 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm; CrV;
- ⌀ 5x75 mm, 6x100 mm, 8x150 mm, PH1x75 mm, PH2x100 mm; S2;
- 180 mm; CrV;
- 160 mm; CrV;
- 160 mm; CrV;
- 250 mm;
- 300 g;
- 18 mm; SK2;
- 18x0.5 mm; SK2;
- 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm; T10, T15, T20, T25, T27, T30, T40; CrV

EL CARMEN HE0508205	YATO YT-38951	Dimensiones [mm] 460x220x245	1
------------------------	------------------	---------------------------------	---

Caja herramientas

PP



EL CARMEN			
HE0601025	YT-88881	420x210x195	1/9
HE0601026	YT-88882	475x230x210	1/6

Caja herramientas



EL CARMEN	YATO	Dimensiones [mm]	1
HE0601022	YT-0881	495x200x290	1

Caja herramientas



EL CARMEN	YATO	Dimensiones [mm]	1
HE0601023	YT-0886	510x220x240	1

Taladro inalámbrico 18v 2 baterías

96 PCS	18 V Li-Ion	40 Nm	0-440 0-1650	0-7920 0-29700	13 mm	ABS	SK2H	5m 19mm	WATER COOLED FAN COOLED NON-CORROSION
II	DIN 3117	DROP FORGED WUTE	18 mm	AUTO LOCK BLOKADA	METAL SLIDING BAR METALOGA PRONAMICA	ABS	SK2H	DIN 5746	HRC 58-62
HRC 44-50	CrV 55	230 mm	x3	ABS	AI	STEEL STAL	WOOD DRILLING	CONCRETE BITCH	
PVC	45°	110°	135°	HSS					




57 PCS	1/4" 6.3mm	⊖	⊕	⊗	⊙	S2
-----------	---------------	---	---	---	---	----



- ⊖ 1/4" (6.3 mm): 4 x2, 5 x2, 6 x2 mm (L=25 mm); 6 mm (L=65 mm); S2;
- ⊕ 1/4" (6.3 mm): PH1 x3, PH2 x3, PH3 x3, (L=25 mm); PH2, PH3 (L=25 mm); S2;
- ⊗ 1/4" (6.3 mm): PZ1 x3, PZ2 x3, PZ3 x3 (L=25 mm); PZ1, PZ2 (L=65 mm); S2;
- ⊙ 1/4" (6.3 mm): T10 x2, T15 x2, T20 x2, T25 x2, T27 x2, T30 x2, T40 x2 (L=25 mm); T20, T25 (L=65 mm); S2;
- ⊗ 1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
- ⊙ 1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
- ⊖ 1/4" (6.3 mm): (L=70 mm); CrV;



140 mm	70-250V A.C.	70-600V A.C.	50-500 Hz	CONTINUITY TEST TEST CHECKING	1.5V 9V MULTI-VOLT TESTING
LED 2x LIGHT					



18V
Li-Ion



EL CARMEN
HE0308039

YATO
YT-44251

1

Tenaza de combinacion

DIN 5746 NICKEL PLATED NIKLOWARE



EL CARMEN				
HE0506165	YT-2007	180		6/60
HE0506166	YT-2008	200		6/36

Alicate

DIN 5748 NICKEL PLATED NIKLOWARE



EL CARMEN		L [mm]	
HE0504219	YT-2047	180	6/60

Tenaza perra

CrMo



- European type lock/locking clamps with regular tips
- Nickel plated, satin
- Working capacity:100mm

EL CARMEN				
HE0506175	YT-2451	250		6/24

Tenaza de combinacion

DIN 5746 NICKEL PLATED NIKLOWARE



EL CARMEN		YATO	L [mm]	
HE0506167	YT-2036		160	6/60

Tenaza

250 mm NICKEL PLATED NIKLOWARE



- Nickel-iron alloy surface treatment, durable

EL CARMEN		L [mm]	
HE0506168	YT-2070	250	6/24

Tenaza perra

200 mm 0-50 mm 75 mm



- European type lock
- Width of jaws:75mm
- Adjustable, opening capacity:12.7mm

EL CARMEN				
HE0506176	YT-2463	200		6/24

Alicate

250 mm DIN 5746 HRC 44-50 HRC 58-62 CrV 55



EL CARMEN		YATO	L [mm]	
HE0504213	YT-1949		250	6/36

Tenaza

CrV ADJUSTABLE WORKSPACE REGULOWANAY PRACOWNY ZAKRES REGULOWANAY PRACOWNY ZAKRES



EL CARMEN		L [mm]	
HE0506169	YT-2091	300	6/36

Tenaza de ajuste con cadena

250 mm 500 mm 40Mn



- European type lock
- Chain length: 250mm
- Chain material:40Mn
- Nickel plated

EL CARMEN				
HE0506177	YT-2469	250		6/24

Llave tubo

HRC 55-60 CrMo



EL CARMEN		YATO		Max. pipe diameter	
HE0506178	YT-2491	450mm	2.5" (63 mm)	3/6	
HE0506179	YT-2492	600mm	3" (76 mm)	2/4	

Tenaza pela cable



EL CARMEN		YATO		mm ²	AWG	mm ²	AWG	mm ²	AWG	mm ²	AWG	
HE0506173	YT-2254	0.5-5	20-10	0.5-5	20-10	0.5-5.5	20-10	0.5-5	20-10			12/48

Tenaza pela cable

160 mm HRC 48-52



EL CARMEN		YATO		L [mm]	
HE0506174	YT-2319	0.8-2.6	20-10	10/60	

Tijera p/jardin

S55C HRC 55-60



- S55C drop forged
- blade of head: high frequency hardening

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
1.5	1.0	0.6	0.6
1.8	1.2	0.8	0.8
2.0	1.4	0.8	0.8

EL CARMEN		YATO		L [mm]	
HE0504214	YT-1963	200	40	6/36	
HE0504215	YT-1964	250	60	6/24	
HE0504216	YT-1965	300	75	6/12	

Cizalla corta cable aislada


CrV 1000 V



EL CARMEN		YATO		L [mm]	
HE0504220	YT-21147	600		1/2	

Cizalla

450/280 mm max. Ø 6.0 mm CrMo



EL CARMEN		YATO		L [mm]	max. Ø [mm]	
HE0504212	YT-18413	450/280	6.0	10		

Tin snips

HRC 55-60 S55C HIGH FREQUENCY HARDENING HARTUNGSPROZESS IMPULSCHER



EL CARMEN		YATO		L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
HE0504217	YT-1971	200	40	1.5	1.0	0.6	0.6	0.6	6/36	
HE0504218	YT-1972	260	53	1.8	1.2	0.8	0.8	0.8	6/36	

Destornillador phillips



EL CARMEN	VOREL		+	L [mm]	Driver	
HE0508170	61300		PH2	100	nie	12/144
HE0508171	61340		PH2	200	nie	12/144

Destornillador 2pcs phillips y plano



- PP+TPR 3 colour handle
- Satin finish, sanded tip

EL CARMEN	YATO		- [mm]	+ [mm]	
HE0508191	YT-25998		6.0 mm (L=150 mm)	PH2 (L=150 mm)	6/36

Destornillador phillips



- PP+TPR 3 colour handle
- Satin finish, sanded tip

EL CARMEN	YATO		+	L [mm]	
HE0508188	YT-25930		PH2	150	12/36/144

Destornillador phillips doble uso



|| 5.0 mm x PH1, 6.0 mm x PH2;
○ 1/4" (6.3 mm) x 5/16" (8 mm)

- PP+TPR 3 colour handle
- Satin finish, sanded tip

EL CARMEN	YATO		
HE0508190	YT-25971		12/96

Destornillador plano



EL CARMEN		-		
HE0508192	YT-2760	3	75	12/96/384
HE0508193	YT-2761	3	100	12/96/384
HE0508194	YT-2762	5	75	12/60/240

Juego de destornilladores



1/4" (6.3 mm): 6, 7, 8, 9, 10, 11 mm (L=35 mm); CrV 6150; 3.0x75, 4.0x100, 5.5x75, 5.5x100, 6.5x100, 6.5x150, 8.0x150 mm; CrV 6150; PH0x75, PH1x75, PH1x100, PH1x150, PH2x100, PH2x150 mm; CrV 6150; PZ0x75, PZ1x75, PZ2x100 mm; CrV 6150; T10x75, T20x75, T25x100, T30x100 mm, CrV 6150; S0x75, S1x75, S2x100 mm; CrV 6150; 2.5x50, 3.0x50 mm; CrV 6150; PH0x50, PH0x50 mm; CrV 6150; T6x50, T7x50, T8x50, T10x50 mm, CrV 6150; 1/4" (6.3 mm): 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm (L=25 mm); CrV 6150; 1/4" (6.3 mm): PH0 (2 PCS), PH1 (2 PCS), PH2 (3 PCS), PH3 (3 PCS) (L=25 mm); CrV 6150; 1/4" (6.3 mm): PZ0 (2 PCS), PZ1 (2 PCS), PZ2 (3 PCS), PZ3 (3 PCS) (L=25 mm); CrV 6150; 1/4" (6.3 mm): T6, T8, T10, T15, T20, T25, T27, T30, T35, T40 (L=25 mm); CrV 6150; 1/4" (6.3 mm): 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7 mm (L=25 mm); CrV 6150; 1/4" (6.3 mm): 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" (L=25 mm); CrV 6150; 1/4" (6.3 mm): S0, S1, S2, S3 (L=25 mm); CrV 6150; 1/4" (6.3 mm); SL5-PH1, SL6-PH2; CrV 6150

EL CARMEN	VOREL		⊖ [mm]	
HE0508169	60750		100	3

Juego destornilladores

12 PCS HRC 52 CrV 6150



3.0, 5.0 mm (L=75 mm), 6.0 mm (L=38 mm), 6.0, 8.0 mm (L=150 mm);
 PH0, PH1 (L=75 mm), PH2 (L=38 mm), PH2 (L=100 mm), PH3 (L=150 mm);
 SQ1, SQ2 (L=100 mm)

EL CARMEN	YATO		
HE0508189	YT-25967		6/12

Juego de adaptadores

8 PCS $\frac{1}{4}$ " 6.3mm CrV 6150



$\frac{1}{4}$ " (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 13 mm; CrV 6150

EL CARMEN	VOREL	pcs	
HE0105051	66113	8	25/50

Juego de destornillador

5 PCS HRC 56-60 S2 1000 V



3.0, 4.0 mm (L=100 mm), 5.5 mm (L=125 mm);
 PH1 (L=80 mm), PH2 (L=100 mm)

EL CARMEN	YATO		
HE0508195	YT-2827		10/40

Punta phillips

2 PCS $\frac{1}{4}$ " 6.3mm



$\frac{1}{4}$ " (6.3 mm): PH2 (L=25 mm)

EL CARMEN	VOREL	pcs	
HE0105050	65800	2	12/144

Adaptador p/punta

$\frac{1}{4}$ " 6.3mm 60 mm



EL CARMEN	YATO	L [mm]	
HE0105053	YT-0466	60	$\frac{1}{4}$ " (6.3 mm) 20/200

Juego de destornilladores

13 PCS 165 mm CrV



$\frac{5}{16}$ " (7.9 mm) x $\frac{1}{2}$ " (12.7 mm);
 5, 6, 8, 9 mm (L=35 mm);
 PH1, PH2, PH3, PH4 (L=35 mm);
 4, 5, 6, 8 mm (L=35 mm)

EL CARMEN	VOREL	pcs	
HE0508173	65123	13	20

Punta ph-2 phillips

2 PCS $\frac{1}{4}$ " 6.3mm S2



EL CARMEN	YATO		L [mm]	
HE0105061	YT-77951	PH2	50	$\frac{1}{4}$ " (6.3 mm) 50/500

Punta phillips

10 PCS   6.3 mm HRC 58-61 AISI S2 GOLD FORGED KUTE NA ZIMNO




HE0105055	YT-04782	PH2	50	1/4" (6.3 mm)	19.6		10/25/100
-----------	----------	-----	----	---------------	------	---	-----------

Punta phillips

Adaptador hexagonal

10 PCS 21.8 Nm (max.) AISI S2 HRC 58-62 

 6.3 mm  6.3 mm  9.5 mm  12.7 mm 65 mm 73 mm



HE0105056	YT-0480	PH2	75		1/4" (6.3 mm)	25/100
-----------	---------	-----	----	---	---------------	--------

EL CARMEN	YATO	
HE0105054	YT-04685	20/100


Punta phillips

Punta ph-2 t/yeso

10 PCS  6.3 mm 21.8 Nm (max.) HRC 58-62 AISI S2 GOLD FORGED KUTE NA ZIMNO 



20 PCS  6.3 mm 25 mm



HE0105057	YT-0481	PH2xPH2	65		1/4" (6.3 mm)	25/100
-----------	---------	---------	----	---	---------------	--------

HE0105062	YT-7980	25	1/4" (6.3 mm)		20/40
-----------	---------	----	---------------	---	-------

Bit socket

1/2"
12.7mm
AISI S2 CrV 6150
HRC 58-62 DIN 3120



EL CARMEN	YATO	Ø	Ø [mm]	L [mm]	[Nm]	📦
HE0501152	YT-04386	1/2" (12.7 mm)	12	50	370	40/160

Llave torx


9 PCS CrV



EL CARMEN	VOREL	Ø [mm]	pcs	📦
HE0509136	56478	T10, T15, T20, T25, T27, T30, T40, T45, T50	9	20/40

Llave allen

9 PCS 25° CrV



EL CARMEN	VOREL	Ø [mm]	pcs	📦
HE0509135	56477	2, 2.5, 3, 4, 5, 5.5, 6, 8, 10	9	10/60

Prensa sargento

DROP FORGED KUTE



EL CARMEN	Force pressure [kg]	📦
HE0506180 YT-6420	50 1500	6/30
HE0506181 YT-6421	75 1950	6/18
HE0506182 YT-6422	100 2980	6/12
HE0506183 YT-6423	150 3200	6/12

Juego de puntas

23 PCS 1/4" (6.3mm) S2



⊕ 1/4" (6.3 mm): PH0, PH2 x2, PH3 (L=25 mm); PH2 (L=50 mm); S2;
 ⊕ 1/4" (6.3 mm): P20, P22 x2, P23 (L=25 mm); P22 (L=50 mm); S2;
 ⊕ 1/4" (6.3 mm): T20 x2, T25 x2, T30 x2, T40 (L=25 mm); T20, T30 (L=50 mm); S2;
 ○ 1/4" (6.3 mm): 4, 5, 6 mm (L=25 mm); S2;
 □ 1/4" (6.3 mm); (L=60 mm); CrV

EL CARMEN	YATO
HE0105052	YT-04621

📦
20

Pinsa de resorte



EL CARMEN		L [mm]	Max. jaws range [mm]	Max. jaws depth [mm]	
HE0506184	YT-64271	150	55	68	12/120
HE0506185	YT-64272	200	79	91	10/100

Ventosa plástica doble


115 mm 70 kg



HE0508163	05301	115	70	24
-----------	-------	-----	----	----

Prensa de plástico

QUICK
ADJUSTMENT
SYSTEM
REGULACJA



- can work from two direction: clamp or fix
- max clamp power: 135KGS

EL CARMEN		YATO	L [mm]	A [mm]	B [mm]	C max [mm]	
HE0506186	YT-64284		750	0-762	247-1074	92	4/8

Espátula de acero

4 PCS 50 mm 80 mm 100 mm 120 mm



PI0103034	06290	50, 80, 100, 120	4	12/120
-----------	-------	------------------	---	--------

Prensa de banco

360°



- Anvil and changeable jaws made of hardened steel

EL CARMEN		YATO	Jaws width [mm]	m [kg]	
HE0506187	YT-6501		100	7	2

Pistola p/silicón

230 mm



HE0508164	09100	230	20/40
-----------	-------	-----	-------

Ventosa plastica

115 mm 40 kg



VOREL

EL CARMEN		VOREL	Ø [mm]	Max. lifting capacity [kg]	
IL0208059	05300		115	40	48

Tiza p/tiralíneas

115 g



FE0312016	17507	115	niebieski	20/80
-----------	-------	-----	-----------	-------

Cuchilla corta azulejo



EL CARMEN		
HE0511049	YT-37150	50/500

Pistola p/silicón



EL CARMEN	YATO	L [mm]	
HE0508206	YT-6751	225	20/24

Arco de segueta



EL CARMEN		L [mm]	
HE0504225	YT-3161	300	6/36

Ventosa plástica



EL CARMEN		Ø [mm]	Max. lifting capacity [kg]	
IL0208058	YT-37236	125	120	20

Lapiz carpintero



EL CARMEN	YATO	L [mm]	W [mm]	pcs	
FE0312017	YT-6925	245	15	144	8

Lima plana




EL CARMEN		Working length [mm]	[mm]
HE0505062	YT-6147	50	4x160 80/800

Pistola p/silicón



EL CARMEN		L [mm]	
HE0508201	YT-6750	225	20/24

Serrucho



EL CARMEN		L [mm]	
HE0504223	YT-3107	450	10/40
HE0504224	YT-3108	500	10/40

Fresa rotativa



EL CARMEN		Ø [mm]	
HE0102135	YT-61711	3-15	12/48

Lima plana

250 mm #45



EL CARMEN		L [mm]	
HE0505063	YT-6220	210	250 12/48

Juego de destornilladores

#3 150 mm T12 5 PCS



EL CARMEN		[#]	
HE0508200	YT-62393	650	3 12

Martillo



EL CARMEN		VOREL	m [g]
HE0510046	32625	600	6/24

Cinzel plano

25x300 mm CrV



EL CARMEN		L [mm]	
HE0505058	YT-4700	300	4/24

Cinzel de punta

300 mm CrV



EL CARMEN		L [mm]	
HE0505059	YT-4705	300	4/24

Cinzel plano

3 PCS CrV



10x142 mm, 12x152 mm, 16x172 mm

EL CARMEN		L [mm]	
HE0505060	YT-4711	6/24	

Hacha


DIN 5131 7294 HICKORY WOOD DRYLAND HIKOROWE DROP FORGED KUTE



EL CARMEN		m [g]	L [mm]	DIN	
HE0504226	YT-8001	600	360	5131	24
HE0504227	YT-8002	800	380	5131	20

Repuesto p/cuchilla

5 PCS



EL CARMEN		VOREL	Blade size [mm]	For	
HE0511046	76010	61x19	76000, 76011, 76015	100/600	

Cuchilla cortonera

18 mm



EL CARMEN		VOREL	Blade size [mm]	
HE0504209	76182	18	24/240	

Repuesto p/cuchilla

5 PCS 25 mm



EL CARMEN	VOREL	Blade width [mm]	pcs
HE0511047	76214	25	5 36/288

Cuchilla p/cartón

18 mm AUTO LOCK BLOKADA METAŁ SŁOŃG SĄR METAŁOBA PRZEMOCNA ABS SK2H



ULTRA SHARP

EL CARMEN	Blade size [mm]
HE0511051 YT-75123	18x0.5 10/120

Navaja negra/naranja

SS



EL CARMEN	Blade size [mm]
HE0511054 YT-76052	6/48

Corta tubo

max Ø 42 mm PEX PVC PP PU PE HRC 54 8Cr13 BATCHET SYSTEM SYSTEM ZAPKROWY QUICK OPENING SZYBKIE OTWIERANIE



EL CARMEN	max. Ø [mm]
HE0504222 YT-2231	42 6/48

Navaja trapezoidal

1+5 SK5 61x33x0.5 mm



EL CARMEN	Blade size [mm]
HE0511052 YT-7532	61x33x0.5 12/72

Probador digital

12-250V A.C. 50-500 Hz TEST LCD 145 mm

CONTINUITY TEST TEST CIĄGŁOŚCI LED 3x LRA1



EL CARMEN	L [mm]
EL0304014 YT-28630	145 6/120

Cuchilla p/cartón

25 mm max 20 kg AUTO LOCK BLOKADA METAŁ SŁOŃG SĄR METAŁOBA PRZEMOCNA ABS TPR SK5



EL CARMEN	Blade size [mm]
HE0511050 YT-75101	25x0.7 12/144

Navaja mango de madera

HRC 42-48 3Cr13 75/190 mm



EL CARMEN	L [mm]
HE0511053 YT-7601	190 6/96

Tester digital

LED 1999 0-500V A.C. 0-500V D.C. 0-5 A D.C. 0-2 MΩ 5V_{P-P} PNP NPN 9 V 9FZ21



EL CARMEN	Blade size [mm]
EL0305012 YT-73080	50

Tester de pinza



EL CARMEN	YATO	
EL0305013	YT-73091	50

Escuadra magnetica



EL CARMEN	YATO	Lifting capacity [kg]	Hole diameter [mm]	Dimensions [mm]	
FE0306044	YT-0864	22.5	28	102x155x17	6/30

Careta soldar electro




4 POINT HEADGEAR
WIĘŻBA 4 PUNKTOWA
 Lock into a detent when lifted
 Blokada w pozycji podniesionej
 2-point crown strap adjustment to rise or lower the helmet
 2 punktowa regulacja wysokości
 3 position slider to adjust the distance from eyes to lens
 3 pozycje regulacji odległości od filtra
 Regulation at the occipital area
 Regulacja pozycji potylicznej
 Ratchet with soft rubber grip to adjust size without removing the helmet
 Regulacja obwodu za pomocą systemu grzechotkowego



• In accordance with standard EN 379
 • Optical class: 1/1/1/1
 • Cover lens YT-73924 included

EL CARMEN	YATO	
FE0703019	YT-73921	6

Careta p/soldar electrónica



EL CARMEN	STHOR	
FE0703017	74480	6

Porta electrodo



EL CARMEN	YATO	
EL1001023	YT-24611	1

Cinta métrica



EL CARMEN	No.	L [m]	Package
HE0507094	14100	10	20/100
HE0507095	14200	20	12/60

Careta p/soldar electrónica




EL CARMEN	STHOR	
FE0703018	74486	6

Soldadora



EL CARMEN	YATO	[V]	
EL1001022	YT-81351UL	110-240	1

Escuadra de metal



EL CARMEN	No.	L [m]	
HE0507096	18300	300	12/120

Mesa p/soldar



EL CARMEN	Dimensions [mm]	
EL0102007	YT-08950	660x590x830

Cinta métrica



EL CARMEN	VOREL			
HE0507110	10104	3.0	16	12/120
HE0507093	10111	10.0	25	6/60

Nivel p/albañil 24"



EL CARMEN			
HE0507097	YT-3022	600	10/30
HE0507098	YT-3023	800	10/30
HE0507099	YT-3024	1000	30

Nivel p/albañil 10"

0.027"
0.5 mm/m
ALUMINIO
SOLAMENTE
CONSEJOS
x2
ALBAÑIL
RESISTENTE
AL USO
PROFESIONAL
SIN
SUCO
PROY.
OPCIONAL
N.º 1000000001



EL CARMEN	YATO	L [mm]	
HE0507100	YT-30370	250	60

Escuadra carpintero

45° 90° AI



EL CARMEN	YATO	L [mm]	
HE0507101	YT-7080	250	6/36
HE0507102	YT-7081	300	6/36
HE0507103	YT-7082	350	6/36

Cinta metrica

3m 5m
16mm 19mm
AUTOMATIC
STOP
5
NYLON COATED
POLSKA
WYKONANIE
II



EL CARMEN	YATO	L [m]	W [mm]	
HE0507115	YT-7103	3	16	12/120
HE0507116	YT-7105	5	19	12/120

Cinta metrica

5m
19mm
NYLON COATED
POLSKA
WYKONANIE
II



EL CARMEN	YATO	L [m]	W [mm]	
HE0507104	YT-71153	5	19	12/96

Cinta metrica

NYLON COATED
POLSKA
WYKONANIE
II 8m 10m
25mm 25mm



• Steel tape with nylon cover
• Metric graduation, one side printed, white colour

EL CARMEN	YATO	L [m]	W [mm]	
HE0507105	YT-7153	8	25	6/48
HE0507106	YT-7154	10	25	6/48

Cinta metrica laser

3in1
5m
19mm
II
0.2-40m
±2mm
90°
MEMORY
PAMIĘC
LCD
ABS
2x
AAA



EL CARMEN	YATO	L [m]	W [mm]	
HE0507113	YT-73122	5	19	20/200

Cinta metrica

FIBREGLASS TAPE
TASMA Z WŁÓKNIA
SZKLANEGO
ABS
30m 50m
13mm 13mm



• high impact-resistant ABS frame
• high-reinforced blade
• fiberglass blade

EL CARMEN	YATO	L [m]	W [mm]	
HE0507117	YT-71555	30	13	10
HE0507107	YT-71556	50	13	10

Pie de rey digital

0-150
mm
inch
±0.01
mm
LCD
1x
SR44
SS
STAINLESS
STEEL
DIL. 0.00004



EL CARMEN	YATO	Measuring range [mm]	
HE0507108	YT-7205	0-150	10/50

Micrometro digital

mm
inch
0-25
mm
±0.001
mm
LCD



EL CARMEN	YATO	Measuring range [mm]	
HE0507109	YT-72305	0-25	50

Pistola p/limpiar motor

0.8 MPa 0.95L STANDARD



$L_{WA} = <70 \text{ dB}$; $a_{Wp} = <2.5 \text{ m/s}_2$

EL CARMEN **VOREL**
HE0508177 81647 5/40

Filtro con engrasadora p/compresor

0.93 MPa (max.) 90cm 60cm 1/4" 6.3mm max°C 60



EL CARMEN **YATO**
FE0601095 YT-2385 25

Acc. Compresor conector macho



FE0601097 YT-2399A G1/4 50/250

Pistola de gravedad plástica

0.3 MPa 220 l/min 0.8 mm 0.1L HVLP



$L_{WA} = 67,0 \text{ dB}$; $L_{WA} = 78,0 \text{ dB}$; $a_{Wp} = <2.5 \text{ m/s}_2$

EL CARMEN
HE0402024 YT-2357 20

Acc. Compre conector hembra



EL CARMEN
FE0601096 YT-2390 G1/4 20/120
FE0601099 YT-2392 G1/2 20/120

Acc. Compresor conector macho



FE0601101 YT-2403 G1/4 50/250

Mini filtro p/compresor

1.4 MPa (max) 8 cm³ 1/4" 6.3mm



EL CARMEN
FE0601100 YT-2380 25/50

Acc. Compre conector rapido



EL CARMEN **YATO** Thread size
FE0601098 YT-2393 G1/4 20/120

Engrasadora

400 cm³ 41-69 MPa AI



No. **VOREL** Tank capacity [cm³]
HE0508174 78042 400 5/10

Extractor de tornillo

5
PCS



EL CARMEN	VOREL	Size	pcs	Box
HE0508165	24000	1/8" (3.2 mm) - 1/4" (6.3 mm), 1/4" (6.3 mm) - 5/16" (7.9 mm), 5/16" (7.9 mm) - 7/16" (11.1 mm), 7/16" (11.1 mm) - 9/16" (14.3 mm), 9/16" (14.3 mm) - 3/4" (19.0 mm)	5	12/120


Juego destornillador

10
PCS

3/8"
9.5 mm



3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm



EL CARMEN	YATO	Box
HE0503096	YT-06031	20

Tecla c/cadena



EL CARMEN	VOREL	Max. load capacity [kg]	Chain length [m]
HE0403013	80751	1000	3
HE0403014	80752	2000	3
HE0403012	80753	3000	3

Extractor de tornillos

6
PCS



EL CARMEN	YATO	Box
HE0508180	YT-0590	12/48

Empaques termorretractiles

127
PCS

MIX

max C
125

max
600V



Ø2x40 mm, Ø2.5x40 mm, Ø3.5x40 mm, Ø5x40 mm, Ø7x80 mm, Ø10x80 mm, Ø13x85 mm


EL CARMEN	YATO	Box
HE0511048	YT-06866	84

Jabon quita grasa

FRICTION PARTICLE INDUSTRY OIL DIRT

2000 ml

FAST CLEANER







EL CARMEN	YATO	Size	Box
AD0302023	YT-01234T	2000ml	10

Extractor puller

35-150mm

max 43mm



EL CARMEN	YATO	Box
HE0508181	YT-0641	4

Juego de terminales para cable

65 PCS MIX BRASS MOSIADZ



SC6-6 (15 PCS), SC6-8 (10 PCS), SC10-6 (10 PCS), SC10-8 (10 PCS), SC16-6 (5 PCS), SC16-8 (5 PCS), SC25-6 (5 PCS), SC25-8 (5 PCS)

EL CARMEN YATO
EL0208007 YT-068915 100

Engrasadora Neumática

0.62 MPa IN 0.2-0.62 MPa
OUT 30-40 MPa 400 cm³
28 l/min STANDARD



$L_{aA} = 85,0 \pm 3,0$ dB; $L_{aB} = 96,0 \pm 3,0$ dB; $a_1 = \leq 2,5$ m/s₂

EL CARMEN YATO
HE0508183 YT-07055 10

Bomba p/barril thiner-gasolina

21 l/min
Δ 500 cm
▽ 300 cm
x3 FUEL PUMP
AI
FOR OIL
DO
OLEJU



EL CARMEN YATO
HE0508185 YT-07115 10

Embudo plástico

∅ 240 mm PP



HE0508182 YT-0696 240 48

Bomba engrasadora manual

13.8 MPa (max.) 4 kg 1.5 m



HE0508184 YT-07061 4 1

Bomba p/barril kero-diesel-aceite

16-18 l/min
▽ 45-90 cm
55 min
0.31 L/min
AI
FOR OIL
DO
OLEJU



• suction height 45-90cm
• pump rate: 16-18L/min
• max speed: 55 times/min

HE0508186 YT-0712 45-90cm 1/10

Recipiente p/gasolina

PE FOR AUTOMOTIVE FLUIDS - SCOPONOWA I POCZYSZCZAJACI
FLEXIBLE SPOUF - ELASTYCZNY - GIBKI



AU0101049 YT-06985 5 16

Bomba engrasadora manual

13.8 MPa (max.) 8 kg 1.5 m



HE0508204 YT-07063 8 1

Probador 12v

6-12V 90cm



EL CARMEN YATO
EL0304015 YT-2866 10/100

Adaptador p/bujia

4 PCS 3/8" 9.5 mm CrV



3/8" (9.5 mm): 14, 16, 18, 21 mm

EL CARMEN				
HE0105060	YT-38520	3/8" (9.5 mm)	5/20	

Tecele c/cadena

3m
6m
9m



EL CARMEN		[t]		
HE0403010	YT-58954	3.0T X 3M	1	

Tecele se orita

1000 daN 3m 5.0 mm



EL CARMEN		Rope length	Rope diameter	
HE0403011	YT-5911	3	5	6

Bomba p/bici

0-800 MPa (max)

0-120 psi

0-800 kPa

65 cm

LCD

UNIVERSAL DOUBLE HEAD UNIVERSAL COAXIAL PROGRAM



HE0508202	YT-73530	18	3
-----------	----------	----	---

Cinta aislante

HOT MELT SELF ADHESIVE TOP LAYER
NONWOVEN FABRIC W/CLAY
-40°C
+105°C



EL0804026	YT-81500	19	15	0.3	10/200
-----------	----------	----	----	-----	--------

Cinta aislante azul



In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp
Dielectric strength: >40 Kv/mm • Elongation: >125%
Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C

YATO				
HE0504226	YT-81651	19	20	0.13 72/288

Cinta aislante amarilla



In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp
Dielectric strength: >40 Kv/mm • Elongation: >125%
Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C

YATO				
EL0804023	YT-81654	19	20	0.13 72/288

Cinta aislante blanco



In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp
Dielectric strength: >40 Kv/mm • Elongation: >125%
Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C

YATO				
EL0804024	YT-81656	19	20	0.13 72/288

Cinta aislante rojo



In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp
Dielectric strength: >40 Kv/mm • Elongation: >125%
Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C

YATO				
EL0804025	YT-81666	19	20	0.13 72/288

Arrancador de batería



EL CARMEN	VOREL		
HE0704022	YT-83082		10

Capote p/luvia 1pz talla



EL CARMEN	VOREL	Size	
FE0702018	74653	L	20

Chaleco reflectivo amarillo



	VOREL		
FE0705025	74665	XL	VEST-G 100

Estacion de batería



EL CARMEN	[W]		
HE0704023	YT-83090	300	2

Capote p/luvia 2pz talla



EL CARMEN	VOREL		
FE0702019	74657	L	20
FE0702020	74658	XL	20

Cuerda elastica p/equipaje



	VOREL			pcs
FE1103014	82310	100	8	2 20/80
FE1103015	82320	200	8	2 25/50

Rodiellera en par



EL CARMEN	VOREL		
FE0705023	74601		24

Chaleco reflectivo naranja



EL CARMEN	VOREL	Size	Series	
FE0705024	74662	XXL	VEST-0	100

Lente plastica transparente



EL CARMEN	YATO		
FE0708022	YT-7363		12/240

Lente plastico negro

PC 1 CE



EL CARMEN	YATO	
FE0708023	YT-7364	12/240

Arnes De Seguridad

100% POLIESTER POLIESTER CE



EL CARMEN		
FE1104020	YT-74235	10

Guante de trabajo

SYNTHETIC LEATHER SPUJUCZNA SKORA PU SPANDEX CE



EL CARMEN		Size
FE0707062	YT-74663	9 12/72

Casco de seguridad

CE



EL CARMEN			
FE0704023	YT-73980	white	40
FE0704024	YT-73981	red	40
FE0704025	YT-73982	blue	40
FE0704026	YT-73983	yellow	40

Guante de poliester

NYLON POLIESTER POLIESTER PU



EL CARMEN	VOREL	Size
FE0707055	74080	10 12/120

Guante de nylon

NYLON PU CE



EL CARMEN		Size
FE0707056	YT-74699	9 50/100

Arnes de seguridad

100% POLIESTER POLIESTER CE



EL CARMEN	YATO	
FE1104019	YT-74220	10

Guante de trabajo

SYNTHETIC LEATHER SPUJUCZNA SKORA PU SPANDEX CE



EL CARMEN		Size
FE0707061	YT-74661	9 12/72

Guante de trabajo rojo/negro

SYNTHETIC LEATHER SPUJUCZNA SKORA POLIESTER POLIESTER PU



EL CARMEN		Size
FE0707057	YT-74713	10 120/480

Guante anticorte



EL CARMEN	YATO	Size	
FE0707058	YT-74719	9	50/100

Pistola jardin multifuncional



EL CARMEN			
JA0404015	89192		12/48

Atomizador de presion



EL CARMEN		Tank capacity [l]	
JA0401025	89509	2.0	15

Guante anticorte



EL CARMEN			
FE0707059	YT-74728	8	50/100
FE0707060	YT-74729	9	50/100

Pistola jardin multifuncional



EL CARMEN			
JA0404016	89195		6/24

Tijera p/podar



EL CARMEN		L [mm]	
HE0504210	99005	550	12/48

Cuchilla p/chapeadora



EL CARMEN	FLO	
JA0103053	79563	20/40

Porta manguera



EL CARMEN			
JA0406021	89331		12/48

Juego De Herramientas P/Jardin



EL CARMEN		L [mm]	
JA0501034	99028	205	50

Pala plegable p/jardin



EL CARMEN	FLO		
HE0205027	99054		36

Adaptador en „y” p/lavadora

(M)
G3/4
(F)
G3/4
ABS



EL CARMEN	YATO		
FO0501109	YT-8978		24/240

Candado



No.	VOREL		
FE0804212	77061	32	12/120
FE0804213	77062	38	12/120

Tijera p/podar

210 mm
Ø 15 mm
65Mn



EL CARMEN	FLO	L [mm]	
HE0504211	99206	210	20/60

Porta manguera

20 m
50 m
PP



EL CARMEN	YATO		
JA0406022	YT-99852		2

Candado



No.	VOREL		
FE0804214	77250	25	12/600
FE0804215	77400	40	12/240
FE0804216	77600	60	12/144

Palita trasplantadora


350 mm



EL CARMEN	YATO	L [mm]	
JA0501035	YT-8865	350	10/60

Fajilla negra

PA 6.6
UL
P4V2



EL CARMEN	VOREL	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
FE0307045	73893	2.5x150	8	40	100	250/500
FE0307046	73894	2.5x200	8	50	100	125/250

Rastrillo de jardinería

325 mm



EL CARMEN	YATO	L [mm]	
JA0501036	YT-8866	325	10/60

Cinta teflon

PTFE



EL CARMEN	VOREL	W [mm]	Thickness [mm]	L [m]
FO0106024	75201	12	0.1	12 250/1000
FO0106025	75202	19	0.2	15 200

Plataforma transportadora

5 PCS
max 150 kg



EL CARMEN	VOREL	pcs	
HE0508179	87245	5	12

Troco 154 lbs

960x380
x370
mm
max
70 kg
TELESCOPIC
HANDLE
(CHATTE
TELESCOPIQUE)
Ø135 mm
PP EVA



No.	VOREL	Max. load capacity [kg]	
HE0508175	78660	70	1

Troco 154 lbs

2 in 1
2 w 1
1350x475
x420
mm
max
130 kg
2x
Ø380
mm



No.	VOREL	Max. load capacity [kg]	
HE0508176	78663	130	1

Troco 154 lbs

1080x390
x410
mm
max
90 kg
TELESCOPIC
HANDLE
(CHATTE
TELESCOPIQUE)
Ø150 mm
PP EVA
AI



No.	VOREL	Max. load capacity [kg]	
HE0508203	78661	90	1

Llanta p/troco

°C -10
+50
RUBBER
GUMA
Ø150 mm



EL CARMEN	VOREL	Ø [mm]	W [mm]	Axle diameter [mm]	Axle length [mm]	Max. load capacity [kg]	
HE0508178	87457	250	48	20/25	55	180	8

Papelera cromada de gancho



EL CARMEN	FALA	Series	
HO0102012	69314	Quad Chrom	4/24

Papelera cromada de tapa



EL CARMEN	FALA	Series	
HO0102013	69315	Quad Chrom	4/24

Jabonera para lavavastros cromada



EL CARMEN **FALA** 
HO0102014 69395 100

Llave lavatra. Monomando acero inox



EL CARMEN **FALA** Series 
FO0501107 75716 Steely 1 10

Llave lavatra. Monomando acero inox



EL CARMEN **FALA** Series 
FO0501108 75718 Steely 2 10

Jabonera para lavavastros negro



EL CARMEN **FALA** 
HO0102015 69397 100

Llave lavam. Monomando acero inox



EL CARMEN **FALA** Series 
BA0102075 75801 Steely 1 20

Asiento sanit. Blanco redondo cierre lento



EL CARMEN **FALA** 
BA0201035 75467 5

Trapeador c/mopa

350 ml 
41x13 cm 
x2 
MICROFIBER 
MIKROFIBRA 





Asiento sanit. Blanco elong



EL CARMEN **FALA** 
BA0201036 75470 6

EL CARMEN **LUND** 
FE0403004 67160 12





📍 Dirección Principal: calle 21 de agosto, barrio el carmen, 4ta avenida N.O, Siguatepeque, Honduras

📍 Dirección Sucursal San Juan: 1 cuadra al oeste del parquecito San Juan, Siguatepeque, Honduras

📍 Dirección Sucursal Jesús de Otoro: Barrio Santa Cruz a una cuadra de plaza venus, Jesús de Otoro, Honduras

☎ + (504) 9802-5990
✉ servicioalcliente@ferrecarmen.com
🌐 <https://ferrecarmen.com/>